

Product SUEDERAL LT 0710

Print Date 02.07.2013 Page 1 (9)

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : SUEDERAL LT 0710

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fragrance for consumer product

1.3 Details of the supplier of the safety data sheet

Company : IFF (NEDERLAND) BV

ZEVENHEUVELENWEG 60

5048 AN TILBURG

 Telephone
 : +31134642211

 Telefax
 : +31134636032

 E-mail address
 : sds@iff.com

Responsible/issuing person

1.4 Emergency telephone number

+31 13 4642 211

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture according to EC-directives 67/548/EEC or 1999/45/EC.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling:

EUH210 Safety data sheet available on request.

2.3 Other hazards

None reasonably foreseeable.

3. Composition/information on ingredients

3.1 Substances

Version : 2.0

Revision Date : 31.05.2013



Product SUEDERAL LT 0710

Print Date 02.07.2013 Page 2 (9)

Not applicable, product is a mixture.

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
methyl palmitate	112-39-0 203-966-3	Xi; R38	Skin Corr./Irrit.2; H315	1 - 5

4. First aid measures

4.1 Description of first aid measures

General advice : Take Risk and Safety phrases (section 15) into account.

If inhaled : Remove from exposure site to fresh air and keep at rest. Obtain

medical advice.

In case of skin contact : Remove contaminated clothes. Wash thoroughly with water (and

soap). Contact physician if symptoms persist.

In case of eye contact : Flush immediately with water for at least 15 minutes. Contact

physician if symptoms persist.

If swallowed : Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Carbondioxide, dry chemical, foam.

Unsuitable extinguishing media : Do not use a direct waterjet on burning material.

5.2 Special hazards arising from the substance or mixture

Version : 2.0

Revision Date : 31.05.2013



Product SUEDERAL LT 0710

Print Date 02.07.2013 Page 3 (9)

Specific hazards during

firefighting

: Water may be ineffective.

5.3 Advice for firefighters

Further information : Standard procedure for chemical fires.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained

breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide

adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and

disposed of according to the local regulations.

6.4 Reference to other sections

Prevent spreading over a wide area (e.g. by containment or oil barriers).

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid excessive inhalation of concentrated vapors. Follow good

manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned

before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should

be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against : Keep away from ignition sources and naked flame.

Version : 2.0

Revision Date : 31.05.2013



Product SUEDERAL LT 0710

Print Date 02.07.2013 Page 4 (9)

fire and explosion

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas

and containers

: Store in a cool, dry, ventilated area away from heat sources. Keep

containers upright and tightly closed when not in use.

7.3 Specific end uses

Specific use(s) : No information available.

8. Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Where appropriate, use closed systems to transfer and process this material.

If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

Personal protective equipment

Respiratory protection

: Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.

No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or

b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or c)if normal operational workplace vapor concentration in the air is increased due to heat;

d)during emergencies; or

e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational

Version : 2.0

Revision Date : 31.05.2013



Product SUEDERAL LT 0710

Print Date 02.07.2013 Page 5 (9)

exposure limit.

Hand protection : Avoid skin contact. Use chemically resistant gloves.

: Use tight-fitting goggles, face shield or safety glasses with side Eye protection

shields if eye contact might occur.

Hygiene measures : To the extent deemed appropriate, implement pre-placement and

> regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to

this material.

To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and

operational practices to minimize exposure.

Environmental exposure controls

General advice Keep away from drains, surface- and groundwater and soil.

vellow

not determined

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance liquid Colour

conforms to standard Odour

Odour Threshold : not determined

: 104 °C Flash point

Lower explosion limit : not determined Upper explosion limit : not determined Flammability (solid, gas) : not determined Oxidizing properties : not determined Autoignition temperature : not determined пΗ : not determined Melting point : not determined

Vapour pressure < 0.01 hPa Calculated

Density not determined Water solubility not determined Partition coefficient: nnot determined

octanol/water

Boiling point

Solubility in other solvents : not determined Viscosity, dynamic : not determined

Version 2.0

: 31.05.2013 Revision Date



Product SUEDERAL LT 0710

Print Date 02.07.2013 Page 6 (9)

Viscosity, kinematic : not determined Relative vapour density : not determined Evaporation rate : not determined

9.2 Other information

Refractive index : not determined Relative density : 0,9910 - 1,0010

10. Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Note: Presents no significant reactivity hazard, by itself or in contact

with water. Avoid contact with strong acids, alkali or oxidizing

agents.

10.4 Conditions to avoid

Conditions to avoid : Direct sources of heat.

10.5 Incompatible materials

Materials to avoid : Avoid contact with strong acids, alkali or oxidizing agents.

10.6 Hazardous decomposition products

Hazardous decomposition

products

: Carbon monoxide and unidentified organic compounds may be

formed during combustion.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Skin corrosion/irritation

Serious eye damage/eye irritation

Respiratory or skin sensitization

Germ cell mutagenicity

Information on ingredients with chronic toxicity hazard(s) is available upon request.

Version : 2.0

Revision Date : 31.05.2013



Product SUEDERAL LT 0710

Print Date 02.07.2013 Page 7 (9)

Carcinogenicity

Information on ingredients with chronic toxicity hazard(s) is available upon request.

Reproductive toxicity

Information on ingredients with chronic toxicity hazard(s) is available upon request.

Target Organ Systemic Toxicant - Single exposure

Information on ingredients with chronic toxicity hazard(s) is available upon request.

Target Organ Systemic Toxicant - Repeated exposure

Information on ingredients with chronic toxicity hazard(s) is available upon request.

Aspiration hazard

No test data available. Ingredients with an aspiration hazard are identified in section 3.

12. Ecological information

12.1 Toxicity

12.2 Persistence and degradability

12.3 Bioaccumulative potential

12.4 Mobility in soil

Mobility : no data available

12.5 Results of PBT and vPvB assessment

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT)., This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6 Other adverse effects

Additional ecological : There is no data available for this product.

information

13. Disposal considerations

13.1 Waste treatment methods

Product : Dispose of according to local regulations. Avoid disposing into

drainage systems and into the environment.

Version : 2.0

Revision Date : 31.05.2013



Product SUEDERAL LT 0710

Print Date 02.07.2013 Page 8 (9)

Contaminated packaging : Empty containers should be taken to an approved waste handling

site for recycling or disposal.

14. Transport information

ADR

Not dangerous goods

Environmentally hazardous : no

IATA

Not dangerous goods

IMDG

Not dangerous goods

Special precautions for : No

user

: No special precautions required.

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling — EU Directives 67/548/EEC or 1999/45/EC—

Additional Info : Not a hazardous substance or mixture according to EC-directives

67/548/EEC or 1999/45/EC.

Water contaminating class

(Germany)

WGK 3 highly water endangering

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

16. Other information

Full text of R-phrases referred to under sections 2 and 3

R38 Irritating to skin.

Full text of H-Statements referred to under sections 2 and 3.

H315 Causes skin irritation.

In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110]. In August 2004 (Updated in 2012), the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance

Version : 2.0

Revision Date : 31.05.2013



Product SUEDERAL LT 0710

Print Date 02.07.2013 Page 9 (9)

in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration >= 1.0% due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

According to Regulation (EC) No. 1907/2006 the information in this safety data sheet is based on the properties of the material known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

Version : 2.0

Revision Date : 31.05.2013