

505070 CASTOREUM GIVCO 116/5

Revision Date: 07-29-2015 Version # 01 Page 1 of 11 Print Date: 11-18-2015

1. IDENTIFICATION

Product Description:	CASTOREUM GIVCO 116/5
CAS #	MIXTURE
Other means of identification	
Vigon Item #	505070
Recommended use	Concentrated aromatic ingredient which may be used fragrance compounds according to legal and IFRA guidelines.
Recommended restrictions	For Manufacturing Use Only
<u>Company</u>	24 Hour Emergency Response Information
Vigon International, Inc.	INFOTRAC (ACCT# 78928);
127 Airport Road	1-800-535-5053 WITHIN THE U.S.A.
E. Stroudsburg, PA 18301	1-352-323-3500 OUTSIDE THE U.S.A.
For information call: 570-476-6300	
Web Site: www.vigon.com	

2. HAZARD(S) IDENTIFICATION

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
Environmental hazards	Not classified.	
Label elements		
Signal word	Warning	
Hazard statement		
H315	Causes skin irritation.	
H315 + H320	Causes skin and eye irritation.	
H319	Causes serious eye irritation.	
Precautionary statement		
Prevention		
P264	Wash thoroughly after handling.	
P280	Wear protective gloves.	
P280	Wear eye/face protection.	
Response		
P302 + P352	IF ON SKIN: Wash with plenty of water.	
P305 + P351 +		
P338	IF IN EYES: Rinse cautiously with water for a and easy to do. Continue rinsing.	several minutes. Remove contact lenses, if present
P332 + P313	If skin irritation occurs: Get medical advice/a	ttention.



505070 CASTOREUM GIVCO 116/5

Revision Date: 07-29-2015	Page 2 of 11
Version # 01	Print Date: 11-18-2015
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical name	Common name and synonyms	CAS number	%
4-ETHYLPHENOL	para- ethyl phenol 1- ethyl-4-hydroxybenzene 4- hydroxyethyl benzene	123-07-9	1 - < 10
Cyclohexanol, 1-ethenyl-2- (1-methylpropyl)-, 1-acetate	(2- butan-2-yl-1-ethenylcyclohexyl) acetate 2-(1-Methylpropyl)-1-vinylcyclohexyl acetate	37172-02-4	1 - < 10
GUAIYL ACETATE	guaiacwood acetate methyl octahydrodimethyl azulenyl ethyl acetate	134-28-1	1 - < 10
CITRONELLOL	3,7-DIMETHYL-6-OCTEN-1-OL 6-Octen-1-ol, 3,7-dimethyl- 2,6- dimethyl-2-octen-8-ol	106-22-9	0.1< 1
CREOSOL	2- methoxy-4-methylphenol 3- methoxy-4-hydroxytoluene para- creosol p- methylguaiacol	93-51-6	0.1< 1
DIHYDRO EUGENOL	4-PROPYLGUAIACOL DIHYDROEUGENOL (2-METHOXY-4-PROPYLPHENOL) Phenol, 2-methoxy-4-propyl- 2-METHOXY-4-PROPYLPHENOL	2785-87-7	0.1< 1
Other components below reports	able levels		80 - < 90

4. FIRST-AID MEASURES

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.
Eye contact	Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.
Ingestion	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.



505070 CASTOREUM GIVCO 116/5

 Revision Date: 07-29-2015
 Page 3 of 11

 Version # 01
 Print Date: 11-18-2015

Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Not available.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Unsuitable extinguishing media	Water spray, fog, CO2, dry chemical, or alcohol resistant foam. Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.
Specific methods	Use water spray to cool unopened containers.
General fire hazards	Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective
equipment and emergency
proceduresKeep unnecessary personnel away. Eliminate all sources of ignition. Avoid contact with skin or
inhalation of spillage, dust or vapor. Do not touch damaged containers or spilled material unless
wearing appropriate protective clothing. Ventilate closed spaces before entering them.



505070 CASTOREUM GIVCO 116/5

Revision Date: 07-29-2015	Page 4 of 11
Version # 01	Print Date: 11-18-2015
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.
	The product is immiscible with water and will spread on the water surface.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent product from entering drains. Do not allow material to contaminate ground water system. Absorb in vermiculite, dry sand or earth and place into containers.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Collect and dispose of spillage as indicated in section 13 of the SDS.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid release to the environment. Retain and dispose of contaminated wash water. Contact local authorities in case of spillage to drain/aquatic environment.
7. HANDLING AND STOR	AGE

Precautions for safe handling	Do not handle or store near an open flame, heat or other sources of ignition. All equipment used when handling the product must be grounded. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling. Take precautionary measures against static discharges. Avoid breathing vapor.
Conditions for safe storage, including any incompatibilities	Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits Biological limit values	No exposure limits noted for ingredient(s). No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Use explosion-proof ventilation equipment to stay below exposure limits.
Individual protection measures, su Eye/face protection	ch as personal protective equipment Wear safety glasses with side shields (or goggles).
Skin protection Hand protection	Chemical resistant gloves.
Other	Not available.
Respiratory protection	Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.



505070 CASTOREUM GIVCO 116/5

Revision Date: 07-29-2015 Version # 01 Page 5 of 11 Print Date: 11-18-2015

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Refer to Spec Sheet
Physical state	Liquid.
Form	Liquid.
Color	Refer to Spec Sheet
Odor	Characteristic.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 200.0 °F (> 93.3 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explos	sive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.02 hPa at 20 °C Calculated (98.8 %)
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1083.04 kg/m3 at 20 °C
Molecular formula	Not applicable
Specific gravity	1.08 at 25 °C

10. STABILITY AND REACTIVITY

The product is stable and non-reactive under normal conditions of use, storage and transport. Material is stable under normal conditions.



505070 CASTOREUM GIVCO 116/5

Revision Date: 07-29-2015	Page 6 of 11
Version # 01	Print Date: 11-18-2015
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products if stored and handled as indicated.
11. TOXICOLOGICAL INF	FORMATION
Information on likely routes of ex	xposure
Inhalation	No service ofference to include the service stand
malalion	No adverse effects due to inhalation are expected.
Skin contact	Causes skin irritation.
Skin contact	Causes skin irritation.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results	
4-ETHYLPHENOL (CAS 1	123-07-9)		
Acute			
Oral			
LD50	Rat	> 5000 mg/kg	
CITRONELLOL (CAS 106	5-22-9)		
Acute			
Dermal			
LD50	Rabbit	2650 mg/kg	
Oral			
LD50	Rat	3450 mg/kg	
CREOSOL (CAS 93-51-6))		
Oral			
LD50	Rat	740 mg/kg Behavioral:General anesthetic.	
Cyclohexanol, 1-ethenyl-2	2- (1-methylpropyl)-, 1-acetate (CAS 371	72-02-4)	
Acute			
Oral			
LD50	Rat	5000 mg/kg	
DIHYDRO EUGENOL (CA	AS 2785-87-7)		
Acute			
Dermal			
LD50	Rabbit	310 mg/kg (Non GLP)	



505070 CASTOREUM GIVCO 116/5

Revision Date: 07-29-2015 Version # 01 Page 7 of 11 Print Date: 11-18-2015

Components	Species	Test Results
	Rat	> 2000 mg/kg (OECD 402: limit)
Oral		
LD50	Mouse	3071 mg/kg (OECD 401)
	Rat	2600 mg/kg (OECD 401)
GUAIYL ACETATE (CAS 134-28	3-1)	
Acute		
Oral		
LD50	Rat	> 5000 mg/kg
* Estimates for product may	be based on additional component data	not shown.
Skin corrosion/irritation	Causes skin irritation. May cause skin irritation and/or dern May cause skin irritation in susceptik	
Serious eye damage/eye irritation	Causes serious eye irritation. Vapours may cause irritation to the eyes, respiratory system and the skin.	
Respiratory or skin sensitization Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity		
OSHA Specifically Regulate Not listed.	d Substances (29 CFR 1910.1001-1050)
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
12. ECOLOGICAL INFOR	MATION	
Ecotoxicity	The product is not classified as envir	ronmentally hazardous. However, this does not exclude th

	I or damaging effect on the environment.		
Components		Species	Test Results
4-ETHYLPHENOL (C/	AS 123-07-9)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	5.7 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	10.4 mg/l, 96 hours



505070 CASTOREUM GIVCO 116/5

Revision Date: 07-29-2015 Version # 01 Page 8 of 11 Print Date: 11-18-2015

Components		Species	Test Results	
CITRONELLOL (CAS 106-2	22-9)			
Aquatic	·			
Acute				
Algae	EC50	Algae	2.4 mg/l, 72 hours	
Crustacea	EC50	Daphnia	17 mg/l, 48 hours	
Fish	LC50	Leuciscus idus (Golden orfe)	10 - 22 mg/l, 96 hours	
* Estimates for product may	/ be based on	additional component data not shown.		
Persistence and degradability	No data is available on the degradability of this product.			
Bioaccumulative potential				
Partition coefficient n-octan 4-ETHYLPHENOL	ol / water (log	Kow) 2.58		
Mobility in soil	No data a	No data available.		
Other adverse effects		No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. DISPOSAL CONSIDE	RATIONS			
Disposal instructions	into sewe used cont	-	o the ground. Do not allow this material to drain onds, waterways or ditches with chemical or ccordance with	
Local disposal regulations	Dispose i	n accordance with all applicable regulation	ons.	
Hazardous waste code	Not estab	lished.		
Waste from residues / unused products	• •	ntainers or liners may retain some produ ed of in a safe manner (see: Disposal ins	ct residues. This material and its container must structions).	
Contaminated packaging			waste handling site for recycling or disposal. lue, follow label warnings even after container is	

14. TRANSPORT INFORMATION

ADN

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

DOT

BULK

Not regulated as dangerous goods.



505070 CASTOREUM GIVCO 116/5

Revision Date: 07-29-2015 Version # 01 Page 9 of 11 Print Date: 11-18-2015

DOT	
NON-BULK	
Not regulated as dangerous g	Joods.
IATA Not regulated as dangerous of	spoot
IMDG	juuus.
Not regulated as dangerous g	loods
15. REGULATORY INFORI	MATION
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
CERCLA Hazardous Substar	nce List (40 CFR 302.4)
Not listed.	
US. OSHA Specifically Regul	lated Substances (29 CFR 1910.1001-1050)
Not listed.	
SARA 304 Emergency releas	e notification
Not regulated.	
	I Substances (29 CFR 1910.1001-1050)
Not listed.	lotification (40 CFR 707, Subpt. D)
Not regulated.	
-	
Superfund Amendments and Rea Hazard categories	Immediate Hazard - Yes
hazard categories	Delayed Hazard - No
	Fire Hazard - No
	Pressure Hazard - No
	Reactivity Hazard - No
SARA 302 Extremely hazard Not listed.	ous substance
SARA 311/312 Hazardous chemical	No
SARA 313 (TRI reporting) Not regulated.	
Other federal regulations	
•	112 Hazardous Air Pollutants (HAPs) List
Not regulated.	
-	112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.



505070 CASTOREUM GIVCO 116/5

Revision Date: 07-29-2015 Version # 01 Page 10 of 11 Print Date: 11-18-2015

US state regulations		
US. Massachusetts RTK - Sul	ostance List	
4-ETHYLPHENOL (CAS	123-07-9)	
US. New Jersey Worker and C	Community Right-to-Know Act	
Not listed.		
US. Pennsylvania Worker and	Community Right-to-Know Law	
4-ETHYLPHENOL (CAS	123-07-9)	
US. Rhode Island RTK		
Not regulated.		
US. California Proposition 65		
US - California Propositio	n 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance	
Not listed.		
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all compor	nents of this product comply with the inventory requirements administered by the	governing country(s)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

0

Issue date	11-18-2015
Revision date	07-29-2015
Version #	01
HMIS® ratings	Health: 2
	Flammability: 1
	Physical hazard:



505070 CASTOREUM GIVCO 116/5

Revision Date: 07-29-2015	
Version # 01	

Page 11 of 11 Print Date: 11-18-2015

Disclaimer

Vigon cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.