

Product CINNAMONBARK OLIFFAC DEPR 0606

Print Date 14.07.2016 Page 1 (14)

# 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : CINNAMONBARK OLIFFAC DEPR 0606

Cust. Material : CINNBARKOLIFDEPR0606

MSDS Number : R00000340735

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fragrance for consumer product

1.3 Details of the supplier of the safety data sheet

Company : IFF (NEDERLAND) BV

ZEVENHEUVELENWEG 60

5048 AN TILBURG

| Netherlands | Telephone | : +31134642211 | Telefax | : +31134636032 | E-mail address | : sds@iff.com

Responsible/issuing person

1.4 Emergency telephone number

Refer to section 16 for country specific emergency contact number.

# 2. Hazards identification

#### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4

Eye irritation, Category 2

Skin sensitisation, Category 1

H302: Harmful if swallowed.

H319: Causes serious eye irritation.

H317: May cause an allergic skin reaction.

Carcinogenicity, Category 1B H350: May cause cancer.

Chronic aquatic toxicity, Category 3 H412: Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Version : 7.0

Revision Date : 12.07.2016



Product CINNAMONBARK OLIFFAC DEPR 0606

Print Date 14.07.2016 Page 2 (14)

Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H350 May cause cancer.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:** 

P201 Obtain special instructions before use.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/

spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

Hazardous components which must be listed on the label:

1885-38-7 cinnamonitrile
 97-53-0 EUGENOL
 93-28-7 Eugenyl Acetate
 120-51-4 benzyl benzoate
 138-86-3, 5989-27- limonene

5, 5989-54-8

• 65416-14-0 2-methyl-4-oxo-4H-pyran-3-yl isobutyrate

94-59-7 safrole
 104-55-2 CINNAMAL
 470-82-6 EUCALYPTOL

• 80-56-8 Pinene

• 97-54-1 ISOEUGENOL

## 2.3 Other hazards

Version : 7.0

Revision Date : 12.07.2016



Product CINNAMONBARK OLIFFAC DEPR 0606

Print Date 14.07.2016 Page 3 (14)

None reasonably foreseeable.

# 3. Composition/information on ingredients

## 3.1 Substances

Not applicable, product is a mixture.

## 3.2 Mixtures

## **Hazardous components**

Chemical Name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
cinnamonitrile	1885-38-7 217-552-5	Acute Tox.3; H301 Acute Tox.4; H312 Skin Sens.1B; H317	50 - 100
eugenol	97-53-0 202-589-1	Eye Irrit.2; H319 Skin Sens.1B; H317	20 - 25
4-allyl-2-methoxyphenyl acetate	93-28-7 202-235-6	Acute Tox.4; H302	0,1 - 10
3-(5,5,6- Trimethylbicyclo[2.2.1]hept- 2-yl)cyclohexan-1-ol	3407-42-9 222-294-1	Aquatic Chronic2; H411	0,25 - 2,5
benzyl benzoate	120-51-4 204-402-9	Acute Tox.4; H302 Aquatic Chronic2; H411 Aquatic Acute1; H400	0,25 - 2,5
linalool	78-70-6, 126-91-0 201-134-4 01-2119474016-42	Skin Irrit.2; H315 Eye Irrit.2; H319	1 - 3
limonene	138-86-3, 5989-27-5, 5989-54-8 205-341-0, 227-813-5, 227-815-6	Flam. Liq.3; H226 Skin Sens.1B; H317 Asp. Tox.1; H304 Aquatic Chronic1; H410 Skin Irrit.2; H315 Aquatic Acute1; H400	0,25 - 1
2-methyl-4-oxo-4H-pyran-3-yl isobutyrate	65416-14-0 265-755-2	Skin Sens.1B; H317	0,1 - 10
safrole	94-59-7 202-345-4	Acute Tox.4; H302 Muta.2; H341	0,1 - 10

Version : 7.0 Revision Date : 12.07.2016



Product CINNAMONBARK OLIFFAC DEPR 0606

Print Date 14.07.2016 Page 4 (14)

		Carc.1B; H350	
cinnamaldehyde	104-55-2 203-213-9	Acute Tox.4; H312 Skin Irrit.2; H315 Eye Irrit.2; H319 Skin Sens.1A; H317	0,1 - 1
cineole	470-82-6 207-431-5	Flam. Liq.3; H226 Skin Sens.1B; H317	0,1 - 10
pin-2(3)-ene	80-56-8 201-291-9 01-2119519223-49	Flam. Liq.3; H226 Asp. Tox.1; H304 Skin Irrit.2; H315 Skin Sens.1B; H317 Aquatic Acute1; H400 Aquatic Chronic1; H410	0,1 - 0,25
isoeugenol	97-54-1 202-590-7	Acute Tox.4; H312 Acute Tox.4; H302 Skin Irrit.2; H315 Eye Irrit.2; H319 Skin Sens.1A; H317	0 - 0,1

For the full text of the R-phrases mentioned in this Section, see Section 16.

## 4. First aid measures

## 4.1 Description of first aid measures

General advice : Take Risk/Hazard and Safety/Precautionary phrases (section 2 or

15) into account.

If inhaled : Remove from exposure site to fresh air and keep at rest. If victim is

unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.

In case of skin contact : Remove contaminated clothes. Wash thoroughly with water (and

soap). Contact physician if symptoms persist.

In case of eye contact : Flush immediately with water for at least 15 minutes. Contact

physician if symptoms persist.

If swallowed : Rinse mouth with water and obtain medical advice.

Version : 7.0

Revision Date : 12.07.2016



Product CINNAMONBARK OLIFFAC DEPR 0606

Print Date 14.07.2016 Page 5 (14)

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

# 5. Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Carbondioxide, dry chemical, foam.

Unsuitable extinguishing media : Do not use a direct waterjet on burning material.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Water may be ineffective.

#### 5.3 Advice for firefighters

Further information : Standard procedure for chemical fires.

### 6. Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained

breathing apparatus is recommended in case of a major spill.

**6.2 Environmental precautions** 

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

## 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide

adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and

disposed of according to the local regulations.

#### 6.4 Reference to other sections

Version : 7.0

Revision Date : 12.07.2016



Product CINNAMONBARK OLIFFAC DEPR 0606

Print Date 14.07.2016 Page 6 (14)

Prevent spreading over a wide area (e.g. by containment or oil barriers).

# 7. Handling and storage

## 7.1 Precautions for safe handling

Advice on safe handling

: Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion

: Keep away from ignition sources and naked flame.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

7.3 Specific end use(s)

Specific use(s) : No information available.

# 8. Exposure controls/personal protection

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### **Engineering measures**

Where appropriate, use closed systems to transfer and process this material.

If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

Version : 7.0

Revision Date : 12.07.2016



Product CINNAMONBARK OLIFFAC DEPR 0606

Print Date 14.07.2016 Page 7 (14)

#### Personal protective equipment

Respiratory protection

: Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.

No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

a)while engineering controls and appropriate safe work practices and/or procedures are being implemented; or

b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or c)if normal operational workplace vapor concentration in the air is increased due to heat;

d)during emergencies; or

e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Hand protection : Avoid skin contact. Use chemically resistant gloves.

Eye protection : Use tight-fitting goggles, face shield or safety glasses with side

shields if eye contact might occur.

Hygiene measures : To the extent deemed appropriate, implement pre-placement and

regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to

this material.

To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

**Environmental exposure controls** 

Version : 7.0

Revision Date : 12.07.2016



Product CINNAMONBARK OLIFFAC DEPR 0606

Print Date 14.07.2016 Page 8 (14)

General advice : Keep away from drains, surface- and groundwater and soil.

# 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : dark yellow

Odour : conforms to standard Odour Threshold : not determined

Flash point : 98 °C

Lower explosion limit : not determined
Upper explosion limit : not determined
Flammability (solid, gas) : not determined
Oxidizing properties : not determined
Auto-ignition temperature : not determined
pH : not determined

Melting point : not determined
Boiling point : not determined
Vapour pressure : 0,05 hPa Calculated

Density : not determined
Water solubility : not determined
Partition coefficient: n- : not determined

octanol/water

Solubility in other solvents : not determined Viscosity, dynamic : not determined Viscosity, kinematic : not determined Relative vapour density : not determined Evaporation rate : not determined

9.2 Other information

Refractive index : not determined Relative density : 1,025 - 1,035

# 10. Stability and reactivity

#### 10.1 Reactivity

No hazards to be specially mentioned.

## 10.2 Chemical stability

Stable under normal conditions.

Version : 7.0

Revision Date : 12.07.2016



Product CINNAMONBARK OLIFFAC DEPR 0606

Print Date 14.07.2016 Page 9 (14)

10.3 Possibility of hazardous reactions

Hazardous reactions Note: Presents no significant reactivity hazard, by itself or in contact

with water. Avoid contact with strong acids, alkali or oxidizing

agents.

10.4 Conditions to avoid

Conditions to avoid : Direct sources of heat.

10.5 Incompatible materials

: Avoid contact with strong acids, alkali or oxidizing agents. Materials to avoid

10.6 Hazardous decomposition products

: Carbon monoxide and unidentified organic compounds may be Hazardous decomposition

products

formed during combustion.

# 11. Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity : Acute toxicity estimate: 431,04 mg/kg

Method: Calculation method

: Acute toxicity estimate: > 2.000 mg/kg Acute dermal toxicity

Method: Calculation method

Skin corrosion/irritation

cinnamonitrile : Species: Rabbit

> Result: No skin irritation Exposure time: 24 h

Serious eye damage/eye irritation

Respiratory or skin sensitisation

cinnamonitrile maximisation study

Species: human

Result: Does not cause skin sensitisation. Test substance: 4.0% in petrolatum

Version : 7.0

Revision Date : 12.07.2016



Product CINNAMONBARK OLIFFAC DEPR 0606

Print Date 14.07.2016 Page 10 (14)

#### Germ cell mutagenicity

Information on ingredients with chronic toxicity hazard(s) is available upon request.

### Carcinogenicity

Information on ingredients with chronic toxicity hazard(s) is available upon request.

### Reproductive toxicity

Information on ingredients with chronic toxicity hazard(s) is available upon request.

#### Target Organ Systemic Toxicant - Single exposure

Information on ingredients with chronic toxicity hazard(s) is available upon request.

#### Target Organ Systemic Toxicant - Repeated exposure

Information on ingredients with chronic toxicity hazard(s) is available upon request.

#### **Aspiration hazard**

No test data available. Ingredients with an aspiration hazard are identified in section 3.

# 12. Ecological information

### 12.1 Toxicity

Toxicity to fish

 $limonene \hspace{35mm} : \hspace{3mm} LC50 \colon 0{,}702 \hspace{1mm} mg/l$ 

Exposure time: 96 h

M-Factor

dipentene : 1

#### 12.2 Persistence and degradability

Biodegradability

limonene : Remarks:

No data available

### 12.3 Bioaccumulative potential

Version : 7.0

Revision Date : 12.07.2016



Product CINNAMONBARK OLIFFAC DEPR 0606

Print Date 14.07.2016 Page 11 (14)

Bioaccumulation

limonene : Remarks:

No data available

12.4 Mobility in soil

Mobility : No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

Additional ecological : There is no data available for this product.

information

# 13. Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of according to local regulations. Avoid disposing into

drainage systems and into the environment.

Contaminated packaging : Empty containers should be taken to an approved waste handling

site for recycling or disposal.

# 14. Transport information

**ADR** 

Not dangerous goods

Environmentally hazardous : no

**IATA** 

Not dangerous goods

**IMDG** 

Not dangerous goods

Special precautions for

: No special precautions required.

user

Version : 7.0

Revision Date : 12.07.2016



Product CINNAMONBARK OLIFFAC DEPR 0606

Print Date 14.07.2016 Page 12 (14)

## 15. Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class (Germany)

WGK 3highly water endangering

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

# 16. Other information

### Full text of H-Statements referred to under sections 2 and 3.

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

#### **Further information**

In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110]. In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration >= 1.0% due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

Version : 7.0

Revision Date : 12.07.2016



Product CINNAMONBARK OLIFFAC DEPR 0606

Print Date 14.07.2016 Page 13 (14)

According to Regulation (EC) No. 1907/2006 the information in this safety data sheet is based on the properties of the material known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

### **Emergency telephone number**

A	. 42.1.406.42.42
Austria	+43 1 406 43 43
Belgium	+32 70 245 245
Bulgaria	+359 2 9154 233
Croatia	(+385 1) 2348342
Czech Republic	+420 224 919 293 / +420 224 915 402
Denmark	+45 82 12 12 12
Estonia	16662 (National), International (+372) 626 93 90
Finland	+358 9 471977
France	+ 33 (0)1 45 42 59 59
Germany	+31 13 4642 211
Greece	+31 13 4642 211
Hungary	(+36-80) 201-199
Iceland	+354 543 2222
Ireland	+353 1 8092566 / +353 1 8379964
Italy	+39 06 68593726
Latvia	+371 67042473
Lithuania	+370 5 236 20 52 or +370 687 53378
Luxembourg	+352 8002 5500
Malta	+356 21224071
Netherlands	+31 30 2748888 (Only for the purpose of informing medical personnel in
	cases of acute intoxications).
Norway	+47 22 59 13 00
Poland	+31 13 4642 211
Portugal	808 250 143
Poland	+31 13 4642 211
Portugal	808 250 143
Romania	+31 13 4642 211
Slovakia	+31 13 4642 211
Slovenia	+31 13 4642 211
Spain	+34 91 562 04 20 (only for the purpose of informing medical personnel in
	cases of acute intoxications).

Version : 7.0

Revision Date : 12.07.2016



Product CINNAMONBARK OLIFFAC DEPR 0606

Print Date 14.07.2016 Page 14 (14)

Sweden	+46 112
United Kingdom	For medical professionals only +44 845 46 47 (England and Wales)
	+ 44 8454 24 24 (Scotland)

Version : 7.0

Revision Date : 12.07.2016