

Product	PICONIA BHT
Print Date	23.02.2016

Page 1 (9)

#### 1. Identification of the substance/mixture and of the company/undertaking **1.1 Product identifier** Trade name : PICONIA BHT MSDS Number : R00000226965 1.2 Relevant identified uses of the substance or mixture and uses advised against Use of the Substance/Mixture : Ingredient used in Flavour and/or Fragrance preparations 1.3 Details of the supplier of the safety data sheet Company : IFF (GREAT BRITAIN) LTD. **DUDDERY HILL CB9 8LG HAVERHILL** Telephone +441440715000 Telefax : +441440762199 E-mail address : sds@iff.com Responsible/issuing person **1.4 Emergency telephone number**

 $+44\ 1440\ 7\ 15000$ 

# 2. Hazards identification

## 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### 2.3 Other hazards

None reasonably foreseeable.

# 3. Composition/information on ingredients

# 3.1 Substances

Chemical name of the substance	:	1,3,4,6,7,8a-hexahydro-1,1,5,5-tetramethyl-2H-2,4a-
		methanonaphthalen-8(5H)-one
Chemical characterization	:	alicyclic ketones

Version Revision Date



Product	PICONIA BHT	
Print Date	23.02.2016	Page 2 (9)
Molecular formula	: C15H24O	
Molecular weight CAS-No.	: 220,20 g/mol : 23787-90-8	

Remarks : For the full text of the R-phrases mentioned in this Section, see Section 16.

: 245-890-3

## 3.2 Mixtures

EINECS-No.

Not applicable, product is a substance.

Degenintion of fingt aid mag	
Description of first aid mea	sures
General advice	: Take Risk and Safety phrases (section 15) into account.
If inhaled	: Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
In case of skin contact	: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
In case of eye contact	: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
If swallowed	: Rinse mouth with water and obtain medical advice.
2 Most important symptoms	and effects, both acute and delayed
Symptoms	: No information available.
Risks	: No information available.
3 Indication of any immediat	e medical attention and special treatment needed
Treatment	: No information available.

# 5. Firefighting measures 5.1 Extinguishing media

Barrowen		
Suitable extinguishing media	:	Carbondioxide, dry chemical, foam.
Unsuitable extinguishing media	:	Do not use a direct waterjet on burning material.

### 5.2 Special hazards arising from the substance or mixture



Product	PICONIA BHT
Print Date	23.02.2016 Page 3 (9)
Specific hazards during firefighting <b>5.3 Advice for firefighters</b>	: Water may be ineffective.
Further information	: Standard procedure for chemical fires.
6. Accidental release	
6.1 Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	: Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
6.2 Environmental precaution	15
Environmental precaution	: Keep away from drains, surface- and groundwater and soil.
6.3 Methods and materials fo	r containment and cleaning up
Methods for cleaning up	: Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.
( A Defenence to other restion	

## 6.4 Reference to other sections

Prevent spreading over a wide area (e.g. by containment or oil barriers).

# 7. Handling and storage

0 0	
7.1 Precautions for safe handlin	g
Advice on safe handling	<ul> <li>Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.</li> <li>If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees. Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.</li> </ul>



Product	PICONIA BHT	
Print Date	23.02.2016	Page 4 (9)
Advice on protection aga fire and explosion <b>7.2 Conditions for safe stora</b> Requirements for storage	ge, including any incompatibilities	
and containers	containers upright and tightly closed wh	, i
7.3 Specific end use(s)		
Specific use(s)	: No information available.	

# 8. Exposure controls/personal protection

# 8.1 Control parameters

Contains no substances with occupational exposure limit values.

## 8.2 Exposure controls

## **Engineering measures**

Where appropriate, use closed systems to transfer and process this material. If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

### Personal protective equipment

Respiratory protection :	Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.
	If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:
	<ul> <li>a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or</li> <li>b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or</li> <li>c) if normal operational workplace vapor concentration in the air is increased due to heat;</li> <li>d) during emergencies; or</li> </ul>



Product	PICONIA BHT		
Print Date	23.02.2016	Page	5 (9)
Hand protection Eye protection	<ul> <li>e)if engineering controls and operational practices are not to reduce airborne concentrations below an established exposure limit.</li> <li>Avoid skin contact. Use chemically resistant gloves.</li> <li>Use tight-fitting goggles, face shield or safety glasses with the balance.</li> </ul>	occupa	tional
Hygiene measures	<ul> <li>shields if eye contact might occur.</li> <li>To the extent deemed appropriate, implement pre-place regularly scheduled ascertainment of symptoms and sp testing of lung function for workers who are regularly e this material.</li> <li>To the extent deemed appropriate, use an experienced a expert to identify and measure volatile chemicals that c present in the workplace air to determine potential experiences of engineering conto operational practices to minimize exposure.</li> </ul>	irometry exposed air samp could be osures a	y to bling ind to
Environmental exposure	controls		
General advice	: Keep away from drains, surface- and groundwater and	soil.	

# 9. Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour Odour Odour Threshold Flash point Lower explosion limit Upper explosion limit Flammability (solid, gas) Oxidizing properties Auto-ignition temperature pH Melting point Boiling point	<ul> <li>pale yellow to yellow</li> <li>conforms to standard</li> <li>not determined</li> <li>&gt; 94 °C</li> <li>not determined</li> </ul>
Vapour pressure	: $< 0,01$ hPa Calculated
Density Water solubility Partition coefficient: n-	<ul><li>not determined</li><li>not determined</li><li>log Pow: 4,500</li></ul>



Product PIC	CONIA BHT	
Print Date 23.	02.2016	Page 6 (9)
octanol/water Solubility in other solvents Viscosity, dynamic Viscosity, kinematic Relative vapour density Evaporation rate	<ul> <li>not determined</li> <li>not determined</li> <li>not determined</li> <li>not determined</li> <li>not determined</li> <li>not determined</li> </ul>	
9.2 Other information		
Refractive index Relative density	: not determined : 0,9980 - 1,0060	
10. Stability and reactivity	ty	
10.1 Reactivity		
No hazards to be specially mer	tioned.	
10.2 Chemical stability		
Stable under normal conditions	3.	
10.3 Possibility of hazardous react	ions	
Hazardous reactions	: Note: Presents no significant reactivity hazard, by itsel with water. Avoid contact with strong acids, alkali or o agents.	
10.4 Conditions to avoid		
Conditions to avoid	: Direct sources of heat.	
10.5 Incompatible materials		
Materials to avoid	: Avoid contact with strong acids, alkali or oxidizing age	ents.
10.6 Hazardous decomposition pro	oducts	
Hazardous decomposition products	: Carbon monoxide and unidentified organic compounds formed during combustion.	s may be

## **11.1 Information on toxicological effects**

## Acute toxicity

Acute oral toxicity : LD50: > 5.000 mg/kg Species: Rat Remarks: RIFM



Speci Skin corrosion/irritation Skin irritation : No in Skin irritation : Speci Resul Meth Expo : Speci Resul Expo Serious eye damage/eye irritation No information available. Respiratory or skin sensitisation No information available. Sensitisation : Test = : maxii Speci Resul	Page 0: > 5.000 mg/kg es: Rabbit formation available. es: human t: No skin irritation od: closed patch test sure time: 48 h es: Rabbit t: Skin irritation sure time: 24 h	7 (9)
Speci Skin corrosion/irritation Skin irritation : No in Skin irritation : Speci Resul Meth Expo : Speci Resul Expo Serious eye damage/eye irritation No information available. Respiratory or skin sensitisation No information available. Sensitisation : Test : : maxii Speci Resul Expo : Test : : maxii Speci Resul : Test : : maxii : Speci Resul : Speci : Resul : Speci : Resul : Speci : Resul : Speci : Resul : Speci : Speci : Speci : Resul : Speci : Speci : Resul : Test : Speci : Resul : Speci : Sp	es: Rabbit formation available. es: human It: No skin irritation od: closed patch test sure time: 48 h es: Rabbit It: Skin irritation sure time: 24 h	
Skin irritation:No inSkin irritation:SpeciResulMethExpo:SpeciResulExpo:SpeciResulExpoSerious eye damage/eye irritationNo information available.Respiratory or skin sensitisationNo information available.Sensitisation::Test ::maxiiSpeciResul:maxiiSpeciResulTest :::<	es: human It: No skin irritation od: closed patch test sure time: 48 h es: Rabbit It: Skin irritation sure time: 24 h	
Skin irritation       :       Speci Result Meth Expo         :       Speci Result Expo         Serious eye damage/eye irritation       :         No information available.       :         Respiratory or skin sensitisation       :         No information available.       :         Sensitisation       :         Sensitisation       :         :       maxin Speci Result Test :         :       Germ cell mutagenicity         No information available.       :	es: human It: No skin irritation od: closed patch test sure time: 48 h es: Rabbit It: Skin irritation sure time: 24 h	
Resul Expo Serious eye damage/eye irritation No information available. Respiratory or skin sensitisation No information available. Sensitisation : Test : : maxin Speci Resul Test : Germ cell mutagenicity No information available.	lt: Skin irritation sure time: 24 h	
No information available.         Respiratory or skin sensitisation         No information available.         Sensitisation       : Test :         : maxi:         Speci         Result         Test :         Germ cell mutagenicity         No information available.	substance 0.0%	
Respiratory or skin sensitisation         No information available.         Sensitisation       : Test sensitisation         : maxing         Specing         Result         Test sensitisation         : maxing         Specing         Result         Test sensitisation         : maxing         Specing         Result         Test sensitisation         : maxing         : maxing     <	substance: 0.0%	
Sensitisation : Test : : maxin Speci Resul Test : Germ cell mutagenicity No information available.	substance: 0.0%	
Speci Resul Test : <b>Germ cell mutagenicity</b> No information available.	<i>dostance</i> . 0.070	
No information available.	misation study es: human t: Did not cause sensitisation on laboratory animals. substance: 10% in petrolatum	
No information available. <b>Reproductive toxicity</b>		
No information available. <b>Target Organ Systemic Toxicant - Single</b>	exposure	
No information available. <b>Target Organ Systemic Toxicant - Repe</b> a	ited exposure	
No information available. Aspiration hazard		
No information available.		
12. Ecological information		



Product	PICONIA BHT		
Print Date	23.02.2016	Page	8 (9)

#### **12.2 Persistence and degradability**

#### No information available.

### 12.3 Bioaccumulative potential

No information available.

## 12.4 Mobility in soil

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **12.6 Other adverse effects**

No information available.

13. Disposal considerations					
13.1 Waste treatment methods					
Product	: Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment.				
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal.				

# 14. Transport information

ADR Not dangerous goods Environmentally hazardous IATA Not dangerous goods IMDG Not dangerous goods	:	no
Special precautions for user	:	No special precautions required.

# 15. Regulatory information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Additional Info		: Not a hazardous substance or mixture according to EC-directives 67/548/EEC or 1999/45/EC.
Water contaminating class (Germany)	:	WGK 2water endangering Classification according to appendix 3



Product	PICONIA BHT
Print Date	23.02.2016

Page 9 (9)

## **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has not been carried out for this product.

# 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110]. In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration  $\geq 1.0\%$  due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

According to Regulation (EC) No. 1907/2006 the information in this safety data sheet is based on the properties of the material known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.